



## Street Window Facing Display

### Outstanding visibility high brightness

With a great high brightness of 3,000 cd/m<sup>2</sup>, 521XH can make perfect display performance under the sunlight, which is the ultimate display for outdoor visibility.

### Industrial standard LCD Display

Developed for the street retail stores, be based on the industrial standard panel and powerful aluminium heat sink inside. Our display would work perfect even under sunlight directly.

### Automatic Temperature Control

In the consideration of energy saving and heat sink, the window facing display product has the automatic temperature control system inside. Four Noiseless fans would be automatic turns on/off be based on the temperature.

### Space Efficiency Slim Design

Super thin depth, our 521XH series just get 8.5 mm which leads to space efficiency in an in-window environment.

### Industrial Grade

Designed for use in any applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

### Network CMS Upgrade

We also offer cloud basis network CMS if required, and you can run the third party Digital Signage software via our Android PC board too.

### Automatic Brightness Control

To let the passerby have a good visual experience no matter in daily time or evening, the display have a sensitive light sensor inside, brightness would be automatic control by the sunlight.

### Auto brightness control

Integrated high sensitive sunlight sensor inside, it would change the brightness of the panel automatically.



Sunlight Readable



24/7 Usage



Android Media Player



Plug and Play



Automatic Brightness Control



Fan-less design



Landscape or Portrait Orientation

# Product Advantages




# Product Features



## 3000 cd/ m2 High Brightness


Out standing visible high brightness



Auto Brightness Control


## Auto Brightness Control

Brightness would be auto adjust via the ambient light



## Industrial Standard LCD glass

Can resist 70 degree high temperature




## Noiseless Design

Noiseless design makes the operation noises less then 25dB at full load



## Space Efficiency Design

Super slim body design, more slim then others



## Build In CMS


Integrated Multiple CMS inside already!

# Specifications


Model		No.521XH							
Panel	Display Size(inch)	32"	43"	49"	55"	65"	75"	86"	
	Resolution	1920*1080(16:9)	1920*1080(16:9)	1920*1080(16:9)	1920*1080(16:9)	1920*1080(16:9)	1920*1080(16:9)	1920*1080(16:9)	
	Active Display Area(mm)	701.4(H)X395.9(H)	944.4(H)X532.4(H)	1078.8(H)X608.8(H)	1213.8(H)X684.8(H)	1431.4(H)X860.4(H)	1653.6(H)X932.6(H)	1900(H)X1071(H)	
	Aspect Ratio	16:09	16:09	16:09	16:09	16:09	16:09	16:09	
	Brightness(cd/m2)	3000nit	3000nit	3000nit	3000nit	3000nit	3000nit	3000nit	
	Contrast Ratio(Typ.)	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	
	Viewing Angle(H/V)	178/178							
	Color	16.7M							
	Response Time(G-to-G)	6ms							
	Operation Hour	24/7							
Sound	Loud Speaker	5W, 8Ω (2 sets)							
Power	Type	Internal							
	Power Supply	AC 100 - 240 V~ (+/- 10 %),50/60 Hz							
	Power Consumption	Max[W/h]	180		210		240		
		Sleep mode	less than 0.5W						
	Off mode	less than 0.5W							
Mechanical Spec	Protection Glass	Yes							
	Stand Type	Wall-mounted							
Environmental	Operating Temperature	-10°C ~ 40°C							
	Storage Temperature	-20°C ~ 110°C							
	Operating Humidity	10% ~ 80 %							
	Storage Humidity	5% ~ 95%							
OS	Android Media Player	Processor	T972 Quad-core A55 (1.9GHz, octa core)						
		RAM	2G						
		Flash	16G EMMC						
		USB	USB2.0 HOST(X2)						
		LAN	10M/100M Ethernet(Network version screen only)						
		External memory	8G/16G/32G/64G						
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)						
		Media Resolution	1920*1080						
		Wi-Fi	802.11b/g/n Ethernet(Network version screen only)						
		Operating System	Android 9.0						
Certification	Safety	CE							
Accessories	Included	Scheduling software, Remote control, Key, Power cable, SD card,Wall mount bracket							
	Quality assurance	1 year (2-3 years optional)							
	Type of packaging	Carton box /honeycomb box + wooden case							

# Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!



FACTORY



EXHIBITION HALL



WAREHOUSE

## COMPANY PROFILE

- Company Name: **Screenage Technology**
- Established in **2008**
- Focus area: **Commercial LCD Display Product Development**
- **10-Year** Professional Manufacturer in Shenzhen, China
- Factory Total Area: 3000m<sup>2</sup>
- Output: 100,000Pcs/Year
- Product Range: **Digital Signage, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.**
- Main Market: North America, Western Europe, Mid East, Eastern Europe, South America, Africa
- Certificate: **ISO9001, CE, EMC, RoHS**

Have questions?

**We have answers!**

Get answers about Pricing, Specifications, Installation, and more

**CONTACT US NOW!**



**E-mail: [info@screenage.com](mailto:info@screenage.com)**