

Wall mount LCD module series

Plug and Play

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.

Network CMS Upgrade

We also offer cloud basis network CMS if required ,and you can run the third party Digital Signage software via the Android PC board too.

HDMI Input Support

High definition HDMI connector support 1080P content input, no headache for different demands from your client anymore.

Commercial Grade

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

IPS Panel

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

Giant Tablet Styling

Designed as one giant tablet. The sleek and sexy look is achieved with a striking aluminium frame surround and stunning IPX1 rated edge-to-edge tempered glass.

LED Backlight

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 60,000 hours.

Plug and Play | HDMI Input | Free Scheduling Software | Android Media Player | IPS panel Technology | LED Backlight | 24/7Usage | Free Wall Mount | Landscape or Portrait Orientation

Product Advantages

It's the best sale product in digital signage product of the world!

Stylish design, tough tempered glass projection for public application and commercial standard electronics with multi functions can beyond all the demands you need! With professional VESA and free wall mount bracket, you can use it for any place with any purpose.

Product Features

Slim Body

Super slim thickness display



Intelligent Display

Supports splitting the screen into multiple windows with different content being reproduced in each of them.

Safety display

Higher Security Toughened Glass

IPS Panel

Superior image quality and color depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

Cloud Bases CMS Upgrade

Player could be upgrade to network CMS if standalone version can't meet your control demand, via network CMS you can manage the player any time in any place with Internet.

Play & Play

Play and play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content copy over and then remove.

Specifications

Model			NO.521						
Panel	Display Size(inch)		15.6"	21.5"	32"	43"	49"	55"	65"
	Backlit Type		E-LED	E-LED	E-LED	E-LED	E-LED	E-LED	E-LED
	Resolution		1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080
	Active Display Area(mm)		344(H)x193.6(V)	476.8(H) x268.3(V)	700.5(H) x394.8(V)	941.2(H) x529.4(V)	1073.5(H) x 603.0(V)	1209.6(H) x 680.4(V)	1428.5(H)x803.5(V)
	Aspect Ratio		16:09	16:09	16:09	16:09	16:09	16:09	16:09
	Brightness(cd/m2)		250nit	250nit	300nit	300nit	300nit	350nit	350nit
	Contrast Ratio(Typ.)		1000:1	1000:1	1000:1	1200:1	1500:1	2000:1	2000:1
	Viewing Angle(H/V)		178/178	178/178	178/178	178/178	178/178	178/178	178/178
	Color		16.7M	16.7M	16.7M	16.7M	16.7M	16.7M	16.7M
	Response Time(G-to-G)		6ms	6ms	6ms	6ms	6ms	6ms	6ms
	Operation Hour		24/7	24/7	24/7	24/7	24/7	24/7	24/7
Sound	Audio Output		5W, 8Ω (2 sets),Dual-channel stereo audio output						
Power	Type		Internal	Internal	Internal	Internal	Internal	Internal	Internal
	Power Supply		AC 100 - 240 V~ (+/- 10 %), 50/60 Hz						
	Power Consumption	Max[W/h]	40	40	55	100	120	150	260
		Sleep mode	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W
		Off mode	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W
Mechanical Spec	Protection Glass		Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Mount Type		Wallmount	Wallmount	Wallmount	Wallmount	Wallmount	Wallmount	Wallmount
Environmental	Operating Temperature		0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C
	Storage Temperature		-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C
	Operating Humidity		10~80%	10~80%	10~80%	10~80%	10~80%	10~80%	10~80%
	Storage Humidity		5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%
	Android Media Player	Chipset	MST9U13Q1						
		OS Language	Chinese,English,French,German,Italian,Spanish,etc						
		Resolution Ratio	3840*2160						
		Refresh rate	60Hz(Max)						
		Video Input	HDMI1.4*1 HDMI2.0*1 DP1.2*1						
Certification	Safety		CE ROHS						
Accessories	Include		Wall mount bracket,Scheduling software, Remote control, Key, Power cable, WiFi antenna						
	Quality assurance		1 Year (2-3 years optional)						
	Type of packaging		Carton box /honeycomb box + wooden case						

Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!

FACTORY

EXHIBITION HALL

WAREHOUSE

COMPANY PROFILE

- Company Name: Shenzhen Screenage Electronics Co., Ltd.
- Established in **2008**
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen,China
- Factory Total Area: **3000m2**
- Output: **100,000Pcs/Year**
- Product Range: Digital Signge, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America,Western Europe,Mid East,Eastern Europe, South America,Africa
- Certificate: **ISO9001,CE,EMC,RoHS**

Have questions?

We have answers!

Get answers about Pricing,Specifications,Installation,and more

CONTACT US NOW!

E-mail: info@screenage.cn

www.screenage.com