



No.5210C

Open Cell Wall Mount Display

Plug and Play

Plug and Play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.

Network CMS Upgrade

We also offer cloud basis network CMS if required ,and you can run the third party Digital Signage software via the Android PC board too.

Super Slim Design

Open cell is the new technology for the digital signage industrial, LCD cell would be stall on the shell directly so the thickness of the display would reduce to the level of ultimate slim.

Commercial Grade

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

IPS Panel

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

Touch Screen Upgrade

The screen can be upgraded to become a ten touch points Pro-Cap touch screen, create buttons and multiple playlists to make the screen get interactive

LED Backlight

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 60,000 hours.



Plug and Play



HDMI Input



Slim Depth



Android Media Player



IPS panel Technology



LED Backlight



24/7Usage



Free Wall Mount



Landscape or Portrait Orientation

Product Advantages




Product Features




Slim Body

Open cell would be installed on the shell directly, so the thickness would be reduced to a incredible level.




Intelligent Display

Supports splitting the screen into multiple windows with different content being reproduced in each of them.



Safety Display

Higher Security Toughened Glass



Touch Screen Upgrade

The screen can be upgraded to become a ten touch points Pro-Cap touch screen, create buttons and multiple playlists to make the screen get interactive.



Cloud Bases CMS Upgrade

Player could be upgrade to network CMS if standalone version can't meet your control demand, via network CMS you can manage the player any time in any place with Internet.



Play & Play

Play and play is the easiest and most simple way to upload content to the screen. Simply load images and videos onto a USB stick, insert in the display, wait for your content copy over and then remove.

Specifications

Model		No.5210C				
Panel	Display Size(inch)	32"	43"	49"	55"	
	Backlit Type	E-LED	E-LED	E-LED	E-LED	
	Resolution	1920x1080	1920x1080	1920x1080	1920x1080	
	Active Display Area(mm)	700.5(H) x394.8(V)	941.2(H) x529.4(V)	1073.5(H) x 603.0(V)	1209.6(H) x 680.4(V)	
	Aspect Ratio	16:09	16:09	16:09	16:09	
	Brightness(cd/m2)	300nit	300nit	300nit	300nit	
	Contrast Ratio(Typ.)	1000:1	1200:1	1500:1	2000:1	
	Viewing Angle(H/V)	178/178	178/178	178/178	178/178	
	Color	16.7M	16.7M	16.7M	16.7M	
	Response Time(G-to-G)	6ms	6ms	6ms	6ms	
	Operation Hour	24/7	24/7	24/7	24/7	
Sound	Audio Output	5W, 8Ω (2 sets),Dual-channel stereo audio output				
Power	Type	Internal	Internal	Internal	Internal	
	Power Supply	AC 100 - 240 V~ (+/- 10 %),50/60 Hz				
	Power Consumption	Max[W/h]	55	100	120	150
		Sleep mode	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W
Off mode		less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	
Mechanical Spec	Protection Glass	Yes	Yes	Yes	Yes	
	Mount Type	Wallmount	Wallmount	Wallmount	Wallmount	
Environmental	Operating Temperature	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C	
	Storage Temperature	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	-10°C ~55°C	
	Operating Humidity	10~80%	10~80%	10~80%	10~80%	
	Storage Humidity	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%	
Android Media Player	Processor	RK3288, Quad core				
	RAM	2G				
	Memory	Built-in FLASH memory 8G				
	USB	USB2.0 HOST(X2)				
	LAN	10M/100M Ethernet(Network version screen only)				
	External memory	Optional (up to 32G SD card)				
	Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)				
	Media Resolution	1920*1080				
	Wi-Fi	802.11b/g/n Ethernet(Network version screen only)				
	Operating System	Android 7.1				
Certification	Safety	CE ROHS				
Accessories	Include	Wall mount bracket,Scheduling software, Remote control, Key, Power cable, WiFi antenna				
	Quality assurance	1 Year (2-3 years optional)				
	Type of packaging	Carton box /honeycomb box + wooden case				

Screenage

PEOPLE WHO PRODUCE RESULTS. THAT'S US!



FACTORY



EXHIBITION HALL



WAREHOUSE

COMPANY PROFILE

- Company Name: Shenzhen Screenage Electronics Co., Ltd.
- Established in **2008**
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen, China
- Factory Total Area: **3000m²**
- Output: **100,000Pcs/Year**
- Product Range: Digital Signage, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America, Western Europe, Mid East, Eastern Europe, South America, Africa
- Certificate: **ISO9001, CE, EMC, RoHS**

Have questions?

We have answers!

Get answers about Pricing, Specifications, Installation, and more

CONTACT US NOW!



E-mail: info@screenage.cn