

Security Monitor

Desgined for different applications

Our professional monitor designed for different application like security room, traffic center, control center etc. It's the perfect replacement product of traditional monitor, the bezel of it is 8mm only and the brightness is 500 nits. More than that is the color is more than normal display, because we are using Q-LED technology for the display.

Ultimate 4K resolution

With great 4K resolution, you will be impressive by the perfect image performance with it!

Multiple sizes to choose

From 43 inch up to 75 inch, there are 5 sizes can be choose, you can find the best one for you.

Professional I/O connector

With multiple connectors which support most of the signal source of the market

Full Iron Shell

Full shell made by strong metal and aluminium, stronger than the plastic.

Commercial Grade

Support 24/7 woorking time

Narrow Bezel Design

Does not like normal monitor on the market, bezel just get

High Brightness

Normal monitor just get 250~300nits brightness,but our monitor has 500nits high brightness.

QLED display

With Q-LED display technology, the image quality is would be more impressive than the normal monitor.



Spport both landscape and portrait



24/7Usage



400 nits



Multi input connectors



Fan-less design



4K resolution ratio

Product Advantages



Product Features




4K resolutionCommercial standard 4K resolution



High Brightness 500 nits high brightness



Full iron shell
All the shell made by metal and aluminium



Narrow Bezel
8mm narrow bezel



VESA standardSupport both landscape and portrait



Multi Connectors
Support most of the audio connectors on the market

Specifications

Model		581				
Panel	Display Size(inch)	43"	49"	55"	65"	75"
	Туре	E-LED	E-LED	E-LED	E-LED	E-LED
	Resolution	3840*2160 (16:9)				
	Active Display Area(mm)	941.2(H)*532.4(V)	1070 (H) *601(V)	1209.6 (H) x 680.4 (V)	1428.48(H)x803.53(V)	1650.2(H)×928.2(V)
	Aspect Ratio	16:09	16:09	16:09	16:09	16:09
	Brightness(cd/m2)	400nits				
	Contrast Ratio(Typ.)	1000:1	1000:1	1000:1	1000:1	2000:1
	Viewing Angle(H/V)	178/178	178/178	178/178	178/178	178/178
	Color	16.7M	16.7M	16.7M	16.7M	16.7M
	Response Time(G-to-G)	6ms	6ms	6ms	6ms	6ms
	Operation Hour	24/7	24/7	24/7	24/7	24/7
Sound	Loud Speaker	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)
Power	Туре	Internal	Internal	Internal	Internal	Internal
	Power Supply	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz
	Sleep mode	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W
	Off mode	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W	less than 0.5W
Other	Input	HDMI*1, DVI*1, VGA*1, AV*1, USB*1				
	Bezel	8mm	8mm	8mm	8mm	8mm
	Stand Type	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount
Environmental	Operating Temperature	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C	0°C~45°C
	Storage Temperature	-30°C~55°CC	-30°C~55°CC	-30°C~55°CC	-30°C~55°CC	-30°C~55°CC
	Operating Humidity	10~80%	10~80%	10~80%	10~80%	10~80%
	Storage Humidity	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%	5% ~ 95%
Certification	Safety	CE ROHS				
Accessories	Included	Monitor software, Remote control, Key, Power cable				
	Quality assurance	1 Year 2-3 years (optional)				
	Type of packaging	Carton box /honeycomb box + wooden case				





FACTORY



EXHIBITION HALL



WAREHOUSE

COMPANY PROFILE

- Company Name: Shenzhen Screenage Electronics Co., Ltd.
- Established in 2008
- Focus area: Commercial LCD Display Product Development
- 10-Year Professional Manufacturer in Shenzhen, China
- Factory Total Area: 3000m2
- Output: 100,000Pcs/Year
- Product Range: Digital Signge, LCD Video Wall, Floor Standing Kiosk, Industrial LCD Monitor, All-in-one PC and LCD Interactive Whiteboard.
- Main Market: North America, Western Europe, Mid East, Eastern Europe, South America, Africa
- Certificate: ISO9001,CE,EMC,RoHS

Have questions?

We have answers!

Get answers about Pricing, Specifications, Installation, and more

CONTACT US NOW!



E-mail: info@screenage.cn